

NUMARK VIRTUAL VINYL

V2 BETA - DRIVER INSTALLATION

Support@numark.com
4/14/2010

NUMARK VIRTUAL VINYL BETA DRIVER INSTALL




THANK YOU FOR PURCHASING NUMARK VIRTUAL VINYL

THIS GUIDE IS FOR USERS OF 64 BIT OPERATING SYSTEMS.

INSTALLATION OF VIRTUAL VINYL BOX

1. If your computer is running Windows Vista or Windows 7 64 bit you will need to download the latest software build at www.numark.com/virtualvinyl
2. Please extract the driver files you have downloaded to **"My Documents"**. To do this please right click on the **"Virtualvinyl_driver"** zip and choose **"extract all"**. Choose my documents as the location to export to.




3. Please connect your virtual vinyl device to the computer. You will see the new hardware dialog.




4. Please choose **"No,not this time"**



5. You will now be prompted to choose if you want to install from a CD or from a specific location.
Please choose **“install from a list or specific location”**



6. Press Next.
7. You will now be asked where to look for the driver please un-tick **“Search Removable media”** and ensure that **“Include this location”** is ticked.



8. Please now press **“Browse”**

NUMARK VIRTUAL VINYL BETA DRIVER INSTALL



9. Please locate the **“Virtual Vinyl_Driver”** folder in my documents using the **“Browse for folder”** window.



10. Now please choose the correct folder for your operating system. To do this click on one of the folders listed **“Windows 2000”** or **“Windows XP”** or **“Windows Vista and 7”**
11. Now please choose either **“X86”** if your computer is 32 bit or **“X64”** if your computer is 64 bit.



12. Now Press **“OK”**

**CONGRATULATIONS YOUR BOX IS NOW INSTALLED PLEASE NOW INSTALL
THE VIRTUAL VINYL SOFTWARE**

