Numark

Setting Up the OMNI Control in Traktor Pro

Note: these instructions detail setup procedures for using the OMNI Control with Native Instruments' **Traktor Pro** software. This software title is *not* included with the Numark OMNI Control. For instructions on setting up the OMNI Control with the included **Traktor LE** software, please refer to the documentation included with the product.

1. Before you begin, make sure you have the latest version of Traktor Pro installed.

Launch Traktor Pro, then go to **Help > Launch Service Center**. Select the **Updates** tab and make sure you download any **Traktor** updates you see.



	NATIVE	NSTRUMENTS Service Center		
SERVICE CENTER		_		(
Activate	C Update	Q Overview	Settings	Support
Updates have been	downloaded. All files are stored in	n your download location (see bele	ow).	
	Software Updates 2 files	available		▼ Hide Details
6	Guitar Rig 3.2.1 Mac OS X Upda	ate 🚺		Downloaded ⊘
				Downloaded
. O.	REAKTOR 5.1.5 Mac OS X Upda			Dowindaded
Download folder: /	REAKLUR 3.1.3 Mac OS X Uppa	op:	O Back	O Fxit
Download folder: /	REAKIOR 5.1.5 Mac OS X Oppa Macintosh HD:Users:kevinjordan:Deskt Logged in as:	op:	Back	C Exit

2. Next, in Traktor Pro, go to **Help** > **Start Setup Wizard**. In the window that opens, you will see **setup** and **device** drop down menus.



S TRAKTOR			Setup Wizard	
Please choose your s	setup:	- No oi	r Other Controllers - 🔹	
Please choose your	Please choose your device:		Traktor - Built-in 🔹	
This will overwrite your current TRAKTOR preferences	This will create a backup of your current TRAKTOR preferences		This wizard must be triggered when upgrading or downgrading	
Apply	Backup		Cancel	

3. Under setup choose Numark.



4. Under device choose OMNI Control. Then click Apply.

♦ TRAKTOR	Setup Wizard	
Please choose your setup:	Numark 👻	
Please choose your device:	Omni Control LE 🛛 👻	
	Omni Control LE Omni Control Stealth Control LE Stealth Control	
This will overwrite your current This will create TRAKTOR preferences current TRAKTO	Total Control LE Total Control	
Apply Bac	kup Cancel	

- 5. Next, to go into the **Preferences** menu in Traktor Pro to configure the **Midi/Audio** settings.
 - On Windows, go to **File** > **Preferences**.
 - On Macintosh, go to Traktor > Preferences.

<u></u>	Traktor View Help		STraktor Demo Mode - Native Instruments
0	About		File View Help
۲ 😌	Preferences #,		Preferences
FX	Services 🕨		Audio Setup
1	Hide Traktor 🛛 🛱 🖁		MIDI Setup no Effect
	Hide Others て第日		Exit no Effect 👻
			no Effect 🔹
	Quit Traktor #Q	$A_{01:16}$ +4.1%	
	rauisey	119.00	-00:00 120
ຣາ			00:00 +
ւ վո	է հայտան հայտար են են հայտ	ան հերկել, 🥵	1
	*****	▓▓▓▓▓▓▓	
	<u>' </u>		
14			
		and has perfect to the state of	
	CUE CUP	32 IN OUT	

- 6. Next click on Audio Setup.
 - On Windows, make sure that OMNI CONTROL ASIO Driver is selected.
 - On a Macintosh, make sure you choose **Numark USB Audio Device** in this same drop down.

eferences				E
Audio Setup	Audio Setup			
Output Routing	Audio Device	OMNI CONTROL ASIO Driver	-	
Input Routing	Sample Rate	44100 Hz 🔻		
MIDI Setup	Audio Latency		5.5 ms	Settings
Timecode Setup				
Loading				
Transport				
• Mixer				
Effects				
Recording				
Broadcasting				
File Management				
Data Location				
Layout Manager				
Deck Details				
Browser Details				
Global View Options				
• Keyboard Mapping				
MIDI Mapping				

- 7. To set up your MIDI input and output ports click on MIDI Setup.
 - On Windows, you will choose Numark OMNI Control.
 - On Macintosh, you will choose Numark USB Audio Device.

0	Pre	eferences	BAT
Audio Setup Output Routing Input Routing MIDI Setup Transport Loading Transport Mixer Effects Recording Broadcasting File Management Data Location Layout Manager Deck Details	Pre MIDI Input Devices	Active Port X Numark USB Audio Device (MIDI) X Traktor Virtual Input Active Port X Numark USB Audio Device (MIDI) X Traktor Virtual Input	
 ○ Keyboard Mapping ○ MIDI Mapping Import Export 	MIDI Clock :	Sending Offset 0 ms Close	

- 8. To set up your audio input and output configuration click on **Output Routing/Input Routing**. Here you will have the option to route your audio in any fashion you'd like. The **Omni Control** has 4 outputs.
 - On PC you will see Numark USB Audio 1, 2, 3, and 4.
 - When on the Mac you'll see Out 1, Out 2, Out 3 and Out 4.

•	Pro	eferences	
Audio Setup	Mixing Mode		
Output Routing Input Routing		Internal External	
MIDI Setup Timecode Setup	L	3: 🔻	Mono
 Loading Transport 	R	4: 🔻	
Mixer	Output Master		
 Effects Recording 	R	1: OUT 1 2: OUT 2	Mono
Broadcasting File Management	Output Record		_
 Data Location 	L	- not connected -	
 Layout Manager Deck Details 	R	- not connected -	
Browser Details Clobal View Options			
 Keyboard Mapping 			
 MIDI Mapping 			

You should be set up and ready to go. Remember to enable cue by pressing the Cue button in the top left/right of the controller.